


Vibrating Screen & Perforated Screens




An ISO 9001:2008 Certified Company

● Vibrating Screen

We specialize in the manufacture of industrial screens. We stock extensive range of wire screens from 3mm aperture to 63 mm. These screens are manufactured in thickness up to 10mm providing a sturdy life.

Most screens are clamped to provide hooked screens to provide for tensioning.

The clamping of the hook's are done at 45-60 degree angle. There are three types of hooks.




Side Edge Hooks




● Plain Edges




● Plain wire hook (for 8 & 10 mm thickness)



● Sheet metal hook (for 2mm to 7mm thickness)



● Sheet metal hook with double fold (less than 2mm thickness)



The screens are manufactured using Spring Steel wire (High Carbon), SS, GI. We have the capacity to manufacture high quality with the shortest lead time.

● Vibrating Screen - Technical

Aperture	Wire Dia	Aperture	Wire Dia	Aperture	Wire Dia	Aperture	Wire Dia
2	0.9	12	3	20	8	30	7
2.5	1.4	12	4	22	5	30	8
3	2	12	5	22	6	30	10
4	2.5	12	6	22	7	32	6-10
4	3	14	4	22	8	34	6-10
5	2	14	5	24	5	36	6-10
5	2.5	14	6	24	6	38	8-10
5	3	14	7	24	7	40	8-10
6	2.5	16	4	24	8	42	8-10
6	3	16	5	24	10	44	8-10
6	4	16	6	26	5	46	8-10
7	3	16	7	26	6	48	8-10
7	4	18	4	26	7	50	8-10
8	3	18	5	26	8	54	8-10
8	4	18	6	26	10	60	8-10
8	5	18	7	28	6	63	8-10
10	3	18	8	28	7	70	8-10
10	4	20	5	28	8	80	8-10
10	5	20	6	28	10	90	8-10
10	6	20	7	30	6	100	8-10

● Perforated Sheets

Perforated products are used across a wide section of industry for varied purposes like sound insulation, filtration & decorative uses.

We specialize in custom manufacturing of perforated sheets in various metals.

Our Range




Sheet thickness - 0.35mm to 12mm
Hole Diameter - 0.5mm hole dia to 100mm hole dia
Material - MS, SS, Aluminium, Copper, Brass and various other metals and non-metals
Width - 200mm to 2.5mtr

The different shapes we can perforate is

- Round
- Square
- Rectangle(Slotted)
- Hexagonal
- Diamond
- Triangle

Manufactured using
Latest Technology for Superior Quality





Readily Stocked Items

Hole (in MM)	Pitch (in MM)	Open Area %
0.5	1.1	18.74
0.8	1.4	29.61
0.9	1.4	37.48
1	1.7	31.38
1.2	2	32.65
1.5	2.5	32.65
1.8	3.5	23.99
2	4	22.67
2.2	4	27.43
2.5	4.5	27.99
3	5	32.65
3.2	6.5	21.98
4	6.5	34.34
4.5	6.5	43.47
5	8	35.43
6	9	40.31

Hole (in MM)	Pitch (in MM)	Open Area %
7	13	26.29
8	11.5	43.89
10	12	62.98
10	15	40.31
10	20	22.67
12	18	40.31
15	25	32.65
16	25	37.15
18	25	47.01
20	30	40.31
25	35	46.27
28	39	46.75
30	50	32.65
50	65	53.66
65	80	59.87
80	100	58.04

For More Details Contact:



www.avgwire.com

Coimbatore Plant :

AVG Wire Screens (P) Ltd

621, Trichy Road, ELGI Industrial Complex
Singanallur, Coimbatore - 641005, India

Ph: 0422- 2580350, 0422 - 2596196,
Mobile: 76678 25256
Email: sales@avgwire.com

Mumbai Plant :

AVG Wire Screens (P) Ltd

Godown No. 140, Before steel town petrol pump,
Kalamboli - 410218 (Navi Mumbai)

Ph: 022- 27424968, 0422 - 32152346,
Mobile: 93218 67246
Email: mumbai@avgwire.com

